

LA-UR-18-25109

Approved for public release; distribution is unlimited.

Title: Enhanced gamma reaction history measurements with the new Pulse
Dilation – Photomultiplier Tube

Author(s): Geppert-Kleinrath, Hermann


Intended for: Science in 3

Issued: 2018-06-11




Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Enhanced gamma reaction history measurements with the new Pulse Dilation – Photomultiplier Tube





Inertial Confinement Fusion (ICF) at the National Ignition Facility (NIF) produces a small nuclear fireball



Burn Width ≈ 150 ps

NIF has not yet succeeded at igniting an implosion

Pulse Dilation – Photomultiplier Tube will increase temporal resolution and measure structure in the reaction history



- Two laser pulses 12ps FWHM separated by 135ps
- ~20x temporal magnification

Pulse Dilation will improve our understanding of Inertial Confinement Fusion